







Background

Analysis of complex interconnected data



Timeline of notable works in network science



- o Info. vs. Social Networks (Twitter) [Kwak et al.]
- o **Signed** Networks [Leskovec et al.]
- o Semantic Social Networks [Tang et al.]
- o Four Deg. Of Separation [Backstrom et al.]
- o Structural Diversity [Ugander et al.]
- o Computational Social Science [Watts]
- o **Network Embedding** [Perozzi et al.]
- o Influence Max'n [Domingos & Kempe et al.]
- o **Community Detection** [Girvan & Newman]
- o Network Motifs [Milo et al.]
- o Link Prediction [Liben-Nowell & Kleinberg]
- o **HITS** [Kleinberg]
- o **PageRank** [Page & Brin]
- o Hyperlink Vector Voting [Li]

- o **Small Worlds** [Migram]

- o **Random Graph** [Erdos, Renyi, Gilbert]
- o Degree Sequence [Tuttle, Havel, Hakami]







- o **Graph Neural Networks**
- o Deep Learning for Networks
- o High-Order Networks [Benson et al.]

- o Graph Evolution [Leskovec et al.]
- o 3 Deg. Of Influence [Christakis & Fowler]
- o Social **Influence** Analysis [Tang et al.]
- o Six Deg. Of Separation [Leskovec & Horvitz]
- o Network **Heterogeneity** [Sun & Han]
- o Network **Embedding** [Tang & Liu]
- o Computer Social Science [Lazer et al.]
- o **Small Worlds** [Watts & Strogatz]
- o **Scale Free** [Barabasi & Albert]
- o **Power Law** [Faloutsos x3]

- o Structural Hole [Burt]
- o **Dunbar's Number** [Dunbar]
- o The Strength Of **Weak Tie** [Granovetter]

- o **Homophily** [Lazarsfeld & Merton]
- o Balance Theory [Heider et al.]

- o **Sociogram** [Moreno]



Recent Trend:
Deep Learning for
Graphs

21st Century:
More CS


Late 20th Century:
CS & Physics

20th Century:
Sociology

Based on Slides from [Jie Tang](#)




How to explain the pandemic of runaways?



Jacob L. Moreno,

Mapped out the **channels** for the **flow of social influence and ideas**, and concluded that they **behaved based on how they are positioned in their social network**

Read more [here](#)



earliest graphical depictions of social networks (sociograms)

Who Shall Survive? (1934)



Graph Theory & Network Science

Graph theory is older than network science



Can one walk across the seven bridges and never cross the same bridge twice?

[\[see the video\]](#)



1735: Euler's theorem:

If a graph has more than two nodes of odd degree, there is no [\[Eulerian\]](#) path. If a graph is connected and has no odd degree nodes, it has at least one path.


Network science borrows many concepts/theories from graph theory. The focus, however, is on **real world** graphs which have specific characteristics, and are different from random graph families commonly studied in math.

For example, regular graphs (same degree for all nodes), are irrelevant here.



Interconnected Data as Graphs

- Nodes (or Vertices)
 - Proteins, Neurons, People
- Edges (or Links)
 - interactions, friendships
- Two vertices are **adjacent** if they share a common edge
- Two adjacent vertices are **neighbours**
- An edge is **incident** with another edge if they share a vertex
- An edge is incident with two vertices



Adjacency Matrix: the default data structure

Adjacency Matrix

	0	1	2	3	4	5	6	7	8	9	10	11
0	0	1	1	0	0	0	0	0	0	0	0	1
1	1	0	1	1	0	0	0	0	0	0	0	0
2	1	1	0	0	0	0	0	0	0	0	0	0
3	0	1	0	0	1	1	0	0	0	0	0	0
4	0	0	0	1	0	1	1	0	0	0	0	0
5	0	0	0	1	1	0	0	0	0	0	0	0
6	0	0	0	0	1	0	0	1	1	0	0	0
7	0	0	0	0	0	0	1	0	1	0	0	0
8	0	0	0	0	0	0	1	1	0	0	1	0
9	0	0	0	0	0	0	0	0	0	0	1	1
10	0	0	0	0	0	0	0	0	1	1	0	1
11	1	0	0	0	0	0	0	0	0	1	1	0

$$A \in \{0,1\}^{N \times N}$$

A square matrix of size N (number of nodes)


Adjacency List

0 : { 1, 2, 11 }
1 : { 0, 2, 3 }
2 : { 0, 1 }
3 : { 1, 4, 5 }
4 : { 3, 5, 6 }
5 : { 3, 4 }
6 : { 4, 7, 8 }
7 : { 6, 8 }
8 : { 6, 7, 10 }
9 : { 10, 11 }
10 : { 8, 9, 11 }
11 : { 0, 9, 10 }

Edge List

{ (0, 1), (0, 2), (0, 11),
(1, 0), (1, 2), (1, 3),
(2, 0), (2, 1),
(3, 1), (3, 4), (3, 5),
(4, 3), (4, 5), (4, 6),
(5, 3), (5, 4),
(6, 4), (6, 7), (6, 8),
(7, 8), (7, 6),
(8, 6), (8, 7), (8, 10),
(9, 10), (9, 11),
(10, 8), (10, 9), (10, 11),
(11, 0), (11, 9), (11, 10) }

Simple Graph



$$G(V, E), E \subseteq \{(i, j) | (i, j) \in V^2\}$$

V is set of nodes, here: {0, 1, 2 ... 11}

E is set of edges, here the edge list

Adjacency Matrix: sparse representation

Real world graphs are sparse (lots of zeros) => use sparse matrix representations to only store non-zero elements, in a specific format, often:

- [LIL](#) (List of lists): similar to adjacency list
- [COO](#) (Coordinate list): similar to edge list
- [CSR](#) (Compressed Sparse Row)
 - store only start index of each row
 - fast row access and matrix-vector multiplications

0: {1, 2, 11}
1: {0, 2, 3}
2: {0, 1}
3: {1, 4, 5}
4: {3, 5, 6}
5: {3, 4}
6: {4, 7, 8}
7: {6, 8}
8: {6, 7, 10}
9: {10, 11}
10: {8, 9, 11}
11: {0, 9, 10}

	0	1	2	3	4	5	6	7	8	9	10	11
0	0	1	1	0	0	0	0	0	0	0	0	1
1	1	0	1	1	0	0	0	0	0	0	0	0
2	1	1	0	0	0	0	0	0	0	0	0	0
3	0	1	0	0	1	1	0	0	0	0	0	0
4	0	0	0	1	0	1	1	0	0	0	0	0
5	0	0	0	1	1	0	0	0	0	0	0	0
6	0	0	0	0	1	0	0	1	1	0	0	0
7	0	0	0	0	0	0	1	0	1	0	0	0
8	0	0	0	0	0	0	1	1	0	0	1	0
9	0	0	0	0	0	0	0	0	0	0	1	1
10	0	0	0	0	0	0	0	0	1	1	0	1
11	1	0	0	0	0	0	0	0	1	1	0	0

COL: [1, 2, 11, 0, 2, 3, 0, 1, 1, 4, 5, 3, 5, 6, 3, 4, 4, 7, 8, 6, 8, 6, 7, 10, 10, 11, 8, 9, 11, 0, 9, 10]
ROW: [0, 3, 6, 8, 11, 14, 16, 19, 21, 24, 26, 29, 32]

- [CSC](#) (Compressed Sparse Column)

LIL and COO are good for constructing matrices. Once a matrix has been constructed, convert to CSR or CSC format for fast arithmetic and matrix vector operations



Adjacency Matrix: marginals

marginals of $A \Rightarrow$ degree sequence





$$d_i = \sum_j A_{ij}$$

Simple graphs are symmetric, i.e., $A_{ij} = A_{ji}$

A	0	1	2	3	4	5	6	7	8	9	10	11	
0	0	1	1	0	0	0	0	0	0	0	0	1	3
1	1	0	1	1	0	0	0	0	0	0	0	0	3
2	1	1	0	0	0	0	0	0	0	0	0	0	2
3	0	1	0	0	1	1	0	0	0	0	0	0	3
4	0	0	0	1	0	1	1	0	0	0	0	0	3
5	0	0	0	1	1	0	0	0	0	0	0	0	2
6	0	0	0	0	1	0	0	1	1	0	0	0	3
7	0	0	0	0	0	0	1	0	1	0	0	0	2
8	0	0	0	0	0	0	1	1	0	0	1	0	3
9	0	0	0	0	0	0	0	0	0	1	1	2	
10	0	0	0	0	0	0	0	0	1	1	0	1	3
11	1	0	0	0	0	0	0	0	1	1	0	0	3
	3	3	2	3	3	2	3	2	3	2	3	3	


Beyond Simple Graphs

- Directions
 - E.g. who follows who at Twitter
- Weights
 - E.g. friendship strength, or travel cost
- Time
 - E.g. your friendships changes




Directed Networks Examples

citation networks
foodwebs*
epidemiological



directed acyclic graph



directed graph

WWW

friendship?

flows of goods,
information

economic exchange

dominance

neuronal

transcription

time travelers

[From Clauset's slides](#)

Adjacency Matrix: marginals of directed graph

marginals of A => in/out degrees


$$d_i^{in} = \sum_j A_{ij} \quad d_i^{out} = \sum_j A_{ji}$$

$$A_{ij} = 1 \iff \exists \text{ an edge from } j \text{ to } i$$

A	0	1	2	3	4	5	6	7	8	9	10	11	
0	0	0	0	0	0	0	0	0	0	0	0	0	0
1	1	0	0	0	0	0	0	0	0	0	0	0	1
2	1	1	0	0	0	0	0	0	0	0	0	0	2
3	0	1	0	0	0	0	0	0	0	0	0	0	1
4	0	0	0	1	0	0	0	0	0	0	0	0	1
5	0	0	0	1	1	0	0	0	0	0	0	0	2
6	0	0	0	0	1	0	0	1	1	0	0	0	3
7	0	0	0	0	0	0	1	0	0	0	0	0	1
8	0	0	0	0	0	0	1	1	0	0	0	0	2
9	0	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	1	1	0	0	2
11	1	0	0	0	0	0	0	0	0	1	1	0	3
	3	2	0	2	2	0	2	2	2	2	1	0	

in-degrees

out-degrees



Adjacency Matrix: marginals of weighted directed graph

marginals of A => in/ out weighted degrees


$$d_i^{in} = \sum_j A_{ij} \quad d_i^{out} = \sum_j A_{ji}$$

$$A \in \mathbb{R}^{N \times N}$$

A	0	1	2	3	4	5	6	7	8	9	10	11	
0	0	0	0	0	0	0	0	0	0	0	0	0	0
1	1	0	0	0	0	0	0	0	0	0	0	0	1
2	1	1	0	0	0	0	0	0	0	0	0	0	2
3	0	1	0	0	0	0	0	0	0	0	0	0	1
4	0	0	0	1	0	0	0	0	0	0	0	0	1
5	0	0	0	1	1	0	0	0	0	0	0	0	2
6	0	0	0	0	1	0	0	1	1	0	0	0	3
7	0	0	0	0	0	0	1	0	0	0	0	0	1
8	0	0	0	0	0	0	1	1	0	0	0	0	2
9	0	0	0	0	0	0	0	0	0	0	0	0	0
10	0	0	0	0	0	0	0	0	1	1	0	0	2
11	4	0	0	0	0	0	0	0	2	3	0	0	9
	6	2	0	2	2	0	2	2	2	3	3	0	0




in-degrees

out-degrees





Beyond Simple Graphs

- Directions
 - E.g. who follows who at Twitter
- Weights
 - E.g. friendship strength, or travel cost
- Time
 - E.g. your friendships changes
 - Triplets: (u, v, t) or tensors or graph snapshots




Simple and Not Simple



[From Clauset's slides](#)

Example



adjacency matrix

A	1	2	3	4	5	6
1	0	0	0	0	{1, 1, 2}	0
2	1	$\frac{1}{2}$	{2, 1}	1	0	0
3	0	{2, 1}	0	2	4	4
4	0	1	2	0	0	0
5	{1, 1, 2}	0	4	0	0	0
6	0	0	4	0	0	2



adjacency list

A	
1	$\rightarrow \{(5, 1), (5, 1), (5, 2)\}$
2	$\rightarrow \{(1, 1), (2, \frac{1}{2}), (3, 2), (3, 1), (4, 1)\}$
3	$\rightarrow \{(2, 2), (2, 1), (4, 2), (5, 4), (6, 4)\}$
4	$\rightarrow \{(2, 1), (3, 2)\}$
5	$\rightarrow \{(1, 1), (1, 1), (1, 2), (3, 4)\}$
6	$\rightarrow \{(3, 4), (6, 2)\}$

[From Clauset's slides](#)

Not Simple Graphs



- Multigraph: Multiple edges
 - E.g. followership & friendship
- Heterogeneous Graphs: Different Types
 - E.g. people, places, interest
- Relation between more than two nodes
 - Hypergraphs, E.g. family
- Relationships at different layers
 - Multiplex or multilayer network



Multilayer Networks

different sets of
nodes

E.g. wiki pages layered
by subject



Multiplex: same
set of nodes

different types of
connections

E.g. flights layered by
airlines

<https://arxiv.org/pdf/1708.07763.pdf>



Incidence Matrix

- Adjacency Matrix:
 - $A_{ij} = 1$ if node i is connected to node j & 0 otherwise

- Incidence Matrix:
 - $B_{ik} = 1$ if node i is incident to **edge** k & 0 otherwise

- If a simple graph G has n nodes and m edges what are the dimensions of A & B ?

- How many non-zero elements are in A & B ?

- If simple graph, we have 2 ones in each column
 - What is the row marginal of B ?

- $BB^T = A + D$

A


	0	1	2	3	4	5	6	7	8	9	10	11	
0	0	1	1	0	0	0	0	0	0	0	0	1	3
1	1	0	1	1	0	0	0	0	0	0	0	0	3
2	1	1	0	0	0	0	0	0	0	0	0	0	2
3	0	1	0	0	1	1	0	0	0	0	0	0	3
4	0	0	0	1	0	1	1	0	0	0	0	0	3
5	0	0	0	1	1	0	0	0	0	0	0	0	2
6	0	0	0	0	1	0	0	1	1	0	0	0	3
7	0	0	0	0	0	0	1	0	1	0	0	0	2
8	0	0	0	0	0	0	1	1	0	0	1	0	3
9	0	0	0	0	0	0	0	0	0	0	0	1	2
10	0	0	0	0	0	0	0	0	1	1	0	1	3
11	1	0	0	0	0	0	0	0	0	1	1	0	3
	3	3	2	3	3	2	3	2	3	2	3	3	

B

	0	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	
0	1	1	0	0	0	0	0	0	0	0	0	0	0	1	0	0	3
1	1	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	3
2	0	1	1	0	0	0	0	0	0	0	0	0	0	0	0	0	2
3	0	0	0	1	1	1	0	0	0	0	0	0	0	0	0	0	3
4	0	0	0	0	1	0	1	1	0	0	0	0	0	0	0	0	3
5	0	0	0	0	0	1	1	0	0	0	0	0	0	0	0	0	2
6	0	0	0	0	0	0	0	1	1	1	0	0	0	0	0	0	3
7	0	0	0	0	0	0	0	0	1	0	1	0	0	0	0	0	2
8	0	0	0	0	0	0	0	0	0	1	1	1	0	0	0	0	3
9	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2
10	0	0	0	0	0	0	0	0	0	0	0	1	1	0	0	1	3
11	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	3
	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	2	

Incidence Matrix



- Adjacency Matrix:
 - $A_{ij} = 1$ if node i is connected to node j & 0 otherwise
- Incidence Matrix:
 - $B_{ik} = 1$ if node i is incident to **edge** k & 0 otherwise
- If a simple graph G has n nodes and m edges what are the dimensions of A & B ?
- How many non-zero elements are in A & B ?
- If simple graph, we have 2 ones in each column
 - What is the row marginal of B ?
 - $BB^T = A + D$
- Can be used for hypergraphs



B	e_1	e_2
1	1	1
2	1	0
3	1	1
4	0	1

Incidence Matrix

- Can be used for hypergraphs
 - hyper-edges with more than one node
- Can be used for **bipartite** graphs
 - Two sets of nodes
 - Edges only between them





B	e_1	e_2
1	1	1
2	1	0
3	1	1
4	0	1

$$V = A \cup B \mid A \cap B = \emptyset \text{ and } \forall (i, j) \in E, ((i \in A) \wedge (j \in B)) \vee ((i \in B) \wedge (j \in A))$$

Bipartite Networks

$$B = \begin{bmatrix} 1 & 1 & 1 & 0 & 0 \\ 0 & 0 & 1 & 0 & 1 \\ 0 & 1 & 0 & 1 & 1 \\ 0 & 0 & 0 & 0 & 1 \end{bmatrix}$$



No within edges
& Two possible
one-mode projections

Make the graph to show connections
between only one type of node

What are the one-mode
projection of actors &
movies graph?

authors & papers

actors & movies/scenes

musicians & albums

people & online groups

people & corporate boards

people & locations (checkins)

metabolites & reactions

genes & substrings


words & documents

plants & pollinators

[From Clauset's slides](#)



Bipartite Networks example





Gene network

DISEASOME

PHENOME

GENOME




Disease network

[From Barabási's slides](#)

Goh, Cusick, Valle, Childs, Vidal & Barabási, PNAS (2007)

Bipartite Networks examples



Ingredient-Flavor Network


[From Barabási's slides](#)

Y.-Y. Ahn, S. E. Ahnert, J. P. Bagrow, A.-L. Barabási *Flavor network and the principles of food pairing*, *Scientific Reports* 196, (2011).

Bipartite Networks example

From Ingredient-Recipe Network

Same nodes but edges are different



<https://arxiv.org/pdf/1111.3919.pdf>


<https://studentwork.prattsi.org/infovis/labs/visualizing-ingredient-networks/> browse for visualizations and project ideas




Connectivity

Connected (undirected) graph: any two vertices can be joined by a path

A **disconnected** graph is made up by two or more connected components



Connected



Not Connected

[From Barabasi's slides](#)


Connectivity: GCC & bridges

Connected (undirected) graph: any two vertices can be joined by a path


A disconnected graph is made up by two or more connected components

Largest Component is referred to as the **giant connected component (GCC)**

Bridge edges are those that if erased, the graph becomes disconnected



Connected



Not Connected


[From Barabasi's slides](#)

Connectivity in directed graphs

- **Strongly** connected component
 - has a path from each node to every other node and vice versa
 - e.g. A to B path and B to A path
- **Weakly** connected component
 - it is connected if we disregard the edge directions

How many scc do we have in this example graph?

How many wcc do we have in this example graph?




Connectivity in directed graphs

- **Strongly** connected component
 - has a path from each node to every other node and vice versa
 - e.g. A to B path and B to A path
- **Weakly** connected component
 - it is connected if we disregard the edge directions

How many scc do we have in this example graph? 5


How many wcc do we have in this example graph? 2




In/Out components

In-component: nodes that can reach the scc

Out-component: nodes that can be reached from the scc




in/out-component of a specific node: set of nodes reachable by directed paths to/from that node



(a)

out-component of node A




(b)


out-component of node B

How to check connectivity?

Start from one node, traverse the graph and record the nodes you reach. If the size of this reached set of nodes is equal to all the nodes in the graph, then the graph is connected. If not, this is one component and continue until all nodes have been reached to get all the components.




Depth-first search



Breadth-first search

Connectivity & Adjacency Matrix

The adjacency matrix of a network with several components can be written in a **block-diagonal** form, so that **nonzero elements are confined to squares**, with all other elements being zero:



[From Barabasi's slides](#)

How can we use this to see if the graph is connected based on A?

Representing Graphs with Laplacian Matrix

marginals of A => degree

$$d_i = \sum_j A_{ij}$$

Laplacian Matrix

$$\in \mathbb{R}^{N \times N}$$

$$L = D - A$$

diagonal degree matrix

Eigenvalues of Graph laplacian tells us about the connectivity of the graph

A	0	1	2	3	4	5	6	7	8	9	10	11	
0	0	1	1	0	0	0	0	0	0	0	0	1	3
1	1	0	1	1	0	0	0	0	0	0	0	0	3
2	1	1	0	0	0	0	0	0	0	0	0	0	2
3	0	1	0	0	1	1	0	0	0	0	0	0	3
4	0	0	0	1	0	1	1	0	0	0	0	0	3
5	0	0	0	1	1	0	0	0	0	0	0	0	2
6	0	0	0	0	1	0	0	1	1	0	0	0	3
7	0	0	0	0	0	0	1	0	1	0	0	0	2
8	0	0	0	0	0	0	1	1	0	0	1	0	3
9	0	0	0	0	0	0	0	0	0	0	1	1	2
10	0	0	0	0	0	0	0	0	1	1	0	1	3
11	1	0	0	0	0	0	0	0	1	1	0	0	3
	3	3	2	3	3	2	3	2	3	2	3	3	

D: diagonal matrix of degrees

D	0	1	2	3	4	5	6	7	8	9	10	11	
0	3	0	0	0	0	0	0	0	0	0	0	0	3
1	0	3	0	0	0	0	0	0	0	0	0	0	3
2	0	0	2	0	0	0	0	0	0	0	0	0	2
3	0	0	0	3	0	0	0	0	0	0	0	0	3
4	0	0	0	0	3	0	0	0	0	0	0	0	3
5	0	0	0	0	0	2	0	0	0	0	0	0	2
6	0	0	0	0	0	0	3	0	0	0	0	0	3
7	0	0	0	0	0	0	0	2	0	0	0	0	2
8	0	0	0	0	0	0	0	0	3	0	0	0	3
9	0	0	0	0	0	0	0	0	0	2	0	0	2
10	0	0	0	0	0	0	0	0	0	0	3	0	3
11	0	0	0	0	0	0	0	0	0	0	0	3	3
	3	3	2	3	3	2	3	2	3	2	3	3	

L	0	1	2	3	4	5	6	7	8	9	10	11	
0	3	-1	-1	0	0	0	0	0	0	0	0	-1	0
1	-1	3	-1	-1	0	0	0	0	0	0	0	0	0
2	-1	-1	2	0	0	0	0	0	0	0	0	0	0
3	0	-1	0	3	-1	-1	0	0	0	0	0	0	0
4	0	0	0	-1	3	-1	-1	0	0	0	0	0	0
5	0	0	0	-1	-1	2	0	0	0	0	0	0	0
6	0	0	0	0	-1	0	3	-1	-1	0	0	0	0
7	0	0	0	0	0	0	-1	2	-1	0	0	0	0
8	0	0	0	0	0	0	-1	-1	3	0	-1	0	0
9	0	0	0	0	0	0	0	0	0	2	-1	-1	0
10	0	0	0	0	0	0	0	0	-1	-1	3	-1	0
11	-1	0	0	0	0	0	0	0	0	-1	-1	3	0
	0	0	0	0	0	0	0	0	0	0	0	0	




Connectivity & Laplacian Matrix

- smallest eigenvalue of L is always zero
- **second-smallest eigenvalue** of L is called Algebraic connectivity or Fiedler value and is **nonzero only if graph is connected**
- **number of zero eigenvalues** of L gives the **number of connected components**

Subgraphs, cliques and k-cores

- Induced subgraph:
 - Edges between a subset of nodes in the Graph


- Clique: a.k.a. complete subgraphs




- A subgraph where every two nodes are adjacent
 - How many 4-vertex cliques do we see here?

- K-core:


- Maximal subgraph where degree of each node is at least k




(a) 1-core



(b) 2-core




(c) 3-core



Graphlets & Motifs

- Graphlets
 - small, connected, and non-isomorphic induced subgraphs
- Motifs
 - Statistically over- or under-represented graphlets



- There are 73 different graphlets up to 5 nodes